CORN

Distillers Grains

Value-added Feed Source for
Beef, Dairy Beef, Dairy,
Poultry, Swine, Sheep

NCGA
www.ncga.com

This publication is brought to you by
The National Corn Growers Association

NCGA
www.ncga.com

National Office
632 Cepi Drive
Chesterfield, MO 63005
(636) 733-9004
e-mail: corninfo@ncga.com

Corn Distillers Grains

Table of Contents

Introduction to Distille

The rapid growth of the dry grind ethanol industry has resulted in larger supplies of DISTILLERS GRAINS (DG) than ever before that are:

- High protein
- High fat
- Highly available phosphorus
- Competitively priced
- Environmentally friendly

One bushel of corn produces 2.8 gallons of

rs Grains

ethanol and 17 pounds of distillers grains.

What are Distillers

DISTILLERS GRAINS ARE A COPRODUCT OF DRY GRIND ETHANOL

After high-quality kernels of corn are ground, starch molecules are converted into sugar and fermented into ethanol. The resulting coproduct is rich in essential nutrients (protein, fat, minerals, and vitamins), which are concentrated by a factor of three when compared with corn. The combination of new technology and improved quality control procedures are creating high-quality and nutritional DG!

s Grains?

DISTILLERS DRIED GRAINS (DDG)
Dried coarse grain fraction after removing ethyl alcohol from the yeast fermentation.

DISTILLERS DRIED GRAINS WITH SOLUBLES (DDGS)

- DG are blended with the Condensed Distillers Solubles (CDS) syrup and dried to provide:
  - Increased shelf-life
  - Improved handling

WET DISTILLERS GRAINS (WDG)

- Excellent wet feed source to beef and dairy operations within 100 miles of plant are:
  - Economically priced
  - Extended storage in silo bags possible
  - May blend with corn silage, soyhulls or beet pulp

Beef

ADVANTAGES OF CORN DISTILLERS GRAINS

- Energy value equal to corn or higher (DDG, WDG, CDS)
- Palatable and readily consumed (DDGS, WDG)
- No change to carcass quality and yield grade (DDGS, WDGS, CDS)
- Reduced feed cost (DDGS, WDG)
- Improved feed efficiency (WDG)
- Fewer subacute acidosis occurrences than low-roughage diet (WDG)
- Improved fiber digestion in rumen (DG)
- Uses include creep rations, supplement grazing and high-roughage diets, low-phosphorus diets, wintering cows or developing heifers (DG)

MAXIMUM DIETARY INCLUSION LEVELS
(% dry matter)

- Finish Rations
  - DDG.....10-20%
  - WDG.....10-40%
  - CDS.....10%
  - DG.....10-15%

- Other Beef Cattle 10-20%

KEYS TO BEST UTILIZATION OF DG

- At lower price than corn, greater profits
- Make ration changes for the nutrient content (namely protein and phosphorus)
- Maintain effective fiber in rations for finishing cattle
- Feed finish cattle to normal desired weights
- Keep WDG supply fresh

For additional information on feeding DG to cattle contact:

Dr. Allen Trenkle
Department of Animal Science
Iowa State University
Ames, IA 50011
atrenkle@iastate.edu
Telephone (515) 294-4447

ADVANTAGES OF CORN DISTILLERS GRAINS

- Economical (DDGS, WDG)
- Fed in growing and finish rations (DDGS, WDG)
- Excellent performance, efficiency and gain (DDGS, WDG)
- Improved feed efficiency (DDGS, WDG)
- No effect on carcass quality or value (DDGS, WDG)

MAXIMUM DIETARY INCLUSION LEVELS
(% dry matter)

- Growing.....10-40%
- Finishing.....10-20%

KEYS TO BEST UTILIZATION

- Make ration changes for nutrient content (namely protein and phosphorus)
- Maintain effective quantities of fiber
- Keep WDGS supply fresh
- Feed to similar finish weights
- WDG may decrease total intake in grower diets

Dairy Be

For additional information on feeding DG to dairy beef contact:

Dr. Allen Trenkle
Department of Animal Science
Iowa State University
Ames, IA 50011
atrenkle@iastate.edu
Telephone (515) 294-4447

ef

Dairy

ADVANTAGES OF CORN DISTILLERS GRAINS WITH SOLUBLES

- Economical addition to dairy rations
- Excellent protein source
  - More than 30% of dry matter
  - Good source of ruminally undegraded (bypass) protein
  - Increased milk production equal or higher than soybean meal diet
- Excellent energy source
  - More energy per pound than corn
  - May decrease digestive upsets (less starch in diet with highly digestible fiber and fat)

MAXIMUM DIETARY INCLUSION LEVEL (% dry matter)

- DDG 20%
  - At more than 20-25% inclusion levels
    - May decrease dry matter intake—especially with WDG
    - May decrease milk production
    - May feed excess protein and possibly phosphorus

KEYS TO BEST UTILIZATION

- Uniform nutrient content and quality
- Check for evidence of heat damage
- Be aware of the nutrient content as production techniques may vary between sources
- Constant nutrient content from one batch to the next
- Lysine is first limiting amino acid

For more information on DDGS research in dairy cattle contact:

Dr. David Schingoethe
Dairy Science Department
South Dakota State University
Brookings, SD 57007-0647
david.schingoethe@sdstate.edu
Telephone (605) 688-5438

ADVANTAGES OF CORN DISTILLERS DRIED GRAINS WITH SOLUBLES

- Contributes energy, protein, amino acids and phosphorus
- Economically priced: least cost formulation allows up to 20% DDGS inclusion depending on price of ration ingredients (corn, soybean meal, fat, lysine and dicalcium phosphorus)

Poultry

MAXIMUM DIETARY INCLUSION LEVELS

- Broilers (chicken) 10%
- Layers (chicken)..... 15%
- Grower turkeys 10%

Higher levels may be added with careful adjustment of amino acids and energy levels.

KEYS TO BEST UTILIZATION OF DDGS

- Obtain complete and current nutrient profile from the source
- Formulate diets using digestible amino acids and set minimums for lysine, methionine plus cystine, threonine, tryptophan and arginine
- Use a Metabolizable Energy value of at least 1,250 kcal/lb
- Adjust phosphorus bioavailability to 65%

For more information on DDGS research and utilization in poultry diets, visit the University of Minnesota Web site: www.ddgs.umn.edu. Or contact:

Dr. Sally Noll
Department of Animal Science
University of Minnesota
1364 Eckles Avenue
St Paul, MN 55108
nollx001@umn.edu
Telephone: (612) 624-4928

Swine

ADVANTAGES OF CORN DISTILLERS GRAINS WITH SOLUBLES

- Economical source of energy, amino acids and phosphorus
- Adding 200 lbs. DDGS and 3 lbs. limestone per ton of a grower diet can replace approximately
  - 177 lbs. corn
  - 20 lbs. soybean meal
  - 6 lbs. dicalcium phosphate
- May reduce gut health problems from Ileitis (*Lawsonia intracellularis*) in grow/finish pigs
- Reduces excreted phosphorus level in grow/finish pigs fed 20% DDGS and phytase diets
  - May increase litter size weaned and piglet growth rate when fed to gestating and lactating sows at recommended levels
  - In corn/soybean meal diets at greater than 20% DDGS may reduce pork fat quality
  - Without phytase may see excreted phosphorus level increase

MAXIMUM DIETARY INCLUSION LEVELS
(% dry matter)

- Nursery
  (greater than 15 lbs.) 25%
- Grow/finish pigs.....20%
- Lactating sows.....30%
- Gestating sows 50%

Formulate diets by digestible amino acids and available phosphorus from highest nutritional and economic value DDGS.

KEYS TO BEST UTILIZATION of DDGS

- Nutrient content and digestibility varies among sources
  - Specify desired minimum nutrient levels
  - Minimize supply sources
  - Get complete nutrient profiles from supply source
  - Monitor quality and color (golden desired)
  - Average particle size less than 700 microns to avoid bridging in bins and feeders

For more information on DDGS nutrient profiles by supply source, research and utilization in swine diets, visit the University of Minnesota Web site: www.ddgs.umn.edu.

Or contact:

Dr. Jerry Shurson
Department of Animal Science
University of Minnesota
335d Animal Science/Veterinary Medicine Building
1988 Fitch Avenue
St Paul, MN 55108
shurs001@umn.edu
Telephone (612) 624-2764

Sheep

ADVANTAGES OF CORN DISTILLERS GRAINS WITH SOLUBLES

- Cost competitive source of protein and energy in lamb rations
- Excellent feedstuff to add protein and energy to ewe rations
  - Especially those based on lower-quality roughage feedstuffs
  - Low level of copper

MAXIMUM DIETARY INCLUSION LEVELS
(% dry matter)

- Lamb finishing rations 10%
  - Higher inclusion levels may be economical but generally reduce intake and potential performance (may result from higher fat intake)
  - Total calcium/phosphorus ratios important to reduce risk of urinary calculi (DDGS increase phosphorus levels)
  - Soyhull/DDGS rations can be safely self-fed (South Dakota State University)

- Ewe rations based on low-quality roughages
  - Economically used to formulate a balanced ewe ration
  - Advantageous in lactating ewe low-quality roughage diet compared with alfalfa hay (Iowa State University)
  - Daily intake variation on ad libitum CDS may result in acidosis or digestive disorders

For more information on DDGS research in sheep contact:

Dr. Dan Morrical
Department of Animal Science
Sheep Extension Specialist
Iowa State University
Ames, IA 50011
morrical@iastate.edu
Telephone (515) 294-0847

NCGA

632 Cepi Drive
Chesterfield, MO 63005